

Reference 1: Patient and nurse research survey. In-depth interview (60 minutes) with 21 patients in France, Germany and the United Kingdom. March 2015. Performed on behalf of Coloplast A/S.

Sample	UK	FR	GE	TOTAL
Patients	8	8	5	21
• <i>Paraplegic</i>	5	5	3	13
• <i>Tertraplegic</i>	3	3	2	8
Nurses	6	7	3	16

Overall total: n=37

NB: All respondents recruited from Coloplast's lists

Results to the question: *When you think of bowel management, what are the first thoughts that come to mind?*

Patients 



Question: When you think of bowel management, what are the first thoughts that come to mind?

Reference 2: Market research by Coloplast in the Netherlands. 170 Peristeen users. March 2015

Elodie, can you please insert the specific graph that we refer to? Only that one and not the whole report. Also it's in Dutch so we need to put it in English or Germany needs to translate it from Dutch to Deutsch ;)

Reference 3: Research by Coloplast. 123 Peristeen users in the UK and Germany. November 2015

-Participants information:

	Total		Core Panel		Not Core Panel	
United Kingdom	88	71,5 %	22	56,4 %	66	78,6 %
Deutschland	35	28,5 %	17	43,6 %	18	21,4 %

	Total		Core Panel		Not Core Panel	
Female	61	49,6 %	17	43,6 %	44	52,4 %
Male	62	50,4 %	22	56,4 %	40	47,6 %
Total	123	100,0 %	39	100,0 %	84	100,0 %

	Total		Core Panel		Not Core Panel	
Spinal Cord Injury	45	36,6 %	27	69,2 %	18	21,4 %
Multiple Sclerosis	20	16,3 %	6	15,4 %	14	16,7 %
Spina Bifida	5	4,1 %	0	0,0 %	5	6,0 %
Other, please specify:	53	43,1 %	6	15,4 %	47	56,0 %
Total	123	100,0 %	39	100,0 %	84	100,0 %

- Selected questions and answers, extracted from the research:

How easy was it for you to use Peristeen when you were first introduced to it? (Q8)

	Total		Core Panel		Not Core Panel	
Very easy	12	9,8 %	4	10,3 %	8	9,5 %
Easy	54	43,9 %	17	43,6 %	37	44,0 %
Neither easy nor difficult	29	23,6 %	11	28,2 %	18	21,4 %
Difficult	20	16,3 %	5	12,8 %	15	17,9 %
Very difficult	3	2,4 %	0	0,0 %	3	3,6 %
I cannot remember	0	0,0 %	0	0,0 %	0	0,0 %
A health care professional did the irrigation	5	4,1 %	2	5,1 %	3	3,6 %

When you were first introduced to Peristeen, how easy was it for you to remember the different steps required to perform bowel irrigation? (Q5)

	Total		Core Panel		Not Core Panel	
Very easy	31	25,2 %	9	23,1 %	22	26,2 %
Easy	61	49,6 %	21	53,8 %	40	47,6 %
Neither easy or difficult	20	16,3 %	8	20,5 %	12	14,3 %
Difficult	9	7,3 %	1	2,6 %	8	9,5 %
Very difficult	1	0,8 %	0	0,0 %	1	1,2 %
I cannot remember	0	0,0 %	0	0,0 %	0	0,0 %
An HCP performed the irrigation	1	0,8 %	0	0,0 %	1	1,2 %
Total	123	100,0 %	39	100,0 %	84	100,0 %

How long did it take before you felt confident in the procedure? (Q6)							
	Total		Core Panel		Not Core Panel		
Less than one week	32	26,0 %	11	28,2 %	21	25,0 %	
Approximately one week	30	24,4 %	6	15,4 %	24	28,6 %	
Approximately two weeks	30	24,4 %	10	25,6 %	20	23,8 %	
Approximately three weeks	14	11,4 %	6	15,4 %	8	9,5 %	
More than one month	10	8,1 %	4	10,3 %	6	7,1 %	
I am still not confident in the procedure	7	5,7 %	2	5,1 %	5	6,0 %	
Total	123	100,0 %	39	100,0 %	84	100,0 %	